



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/043,698

01/09/2002

Isaac Bentolila

MET2.PAU.02

7739

24498 7590 08/09/2010
Robert D. Shedd, Patent Operations
THOMSON Licensing LLC
P.O. Box 5312
Princeton, NJ 08543-5312

EXAMINER

SHELEHEDA, JAMES R

ART UNIT

PAPER NUMBER

2424

MAIL DATE

DELIVERY MODE

08/09/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | | | |
|------------------------------|--------------------------------------|---|--|
| Office Action Summary | Application No. 10/043,698 | Applicant(s) BENTOLILA ET AL. | |
| | Examiner JAMES SHELEHEDA | Art Unit 2424 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 July 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 07/26/10 has been entered.

Response to Arguments

2. Applicant's arguments filed 07/26/10 have been fully considered but they are not persuasive.

In response to applicant's arguments, on pages 13-14, that Alexander does not disclose "inputting historical data information regarding demographic information tagged to the viewer", it is noted that Alexander discloses a profile of information generated for a particular viewer (column 28, line 11-column 29, line 30). Thus, this information is "tagged" to the viewer. This profile includes input historical data information (viewer selection information over time) used to determine the viewer's demographic information (column 29, line 31-column 30, line 44. This reads upon "inputting historical data information regarding demographic information". The viewer's historical data

information is clearly “regarding” the demographic information, as it allows the system to determine the demographic information.

In response to applicant’s arguments, on page 14, that Alexander does not “generate preferred program guide information based on the viewer’s demographic group and based on bias metrics”, it is noted that Alexander discloses that the viewer profile is used to generate preferred program guide information by identifying what types of information are preferred (column 29, lines 31-67) and then customizing the program guide accordingly (column 30, line 47-column 31, line 61). This profile includes both demographic information (age, marriage status, children; column 30, lines 17-37) and bias metrics (calculated preference or ‘bias’ towards particular programming and topics; column 29, lines 31-67).

In response to applicant’s arguments, on page 14, regarding defining a knowledge base, Alexander discloses associating the preferred program guide information with the viewer’s monitor behavior (column 28, lines 30-52 and column 29, lines 31-55) and defining therefrom a knowledge base with demographic group cluster information of the viewer in terms of statistical state machine transition models (characterizing demographics and other information of the viewer based upon statistical analysis of the users viewing transition data; column 29, line 31-column 30, line 37).

In response to applicant’s arguments on page 15, regarding state transitions representing behavior of particular demographic groups, Alexander discloses where the state transitions are used to identify and characterize the viewer’s demographic groups (column 30, lines 17-37). Thus, the behavior is clearly representative of demographic

groups, as the behavior is used to identify the particular demographic groups that each viewer belongs to.

In response to applicant's arguments on page 15 regarding the updating and reinforcing, Alexander discloses updating and reinforcing the global probability density function upon determining that a given probability has a higher confidence level than a previous probability density function (updating and reinforcing the determined probable characteristics and statistical analysis; column 29, lines 21-30) based in part on bias metrics (calculated preference or 'bias' towards particular programming and topics; column 29, lines 31-67). As the profile is updated with new usage information, actions which correspond to the previously determined preferences would add to and reinforce those determinations (determinations based upon the number or duration of viewings; column 29, lines 31-67).

In response to applicant's arguments on page 16, regarding claim 9, Alexander discloses analyzing the viewer's actions to model their behavior and preferences using statistical analysis (column 29, lines 31-55).

In response to applicant's arguments on page 16 regarding claim 17, Alexander discloses updating the profile information (column 29, lines 21-30) and performing statistical analysis on the usage to identify various preferences (column 29, lines 31-67). Thus, as the system accumulates more information, the determined preferences will change to reflect the new data. Some predicted preferences will be determined to be reinforced by the new information and some will be found to be reduced.

In response to applicant's arguments on page 18 regarding Grauch, Grauch discloses a method of determining viewer's viewing habits (paragraph 11-13) which will define the knowledge base by calculating a parameterized transition matrix defining the viewer's viewing habits (Clickstream Data matrix, 80; Figure 7 and paragraph 95), the parameterized transition matrix containing information of program transitions initiated by the viewer (Figure 7 and paragraph 95) and wherein the row number and column number of the element represent the first and second states (as each element is represented by the its corresponding "event record" and "event ID" row and column; see Fig. 7)

In response to applicant's arguments on page 19 regarding a matrix in "temporal form", Grauch discloses a temporal matrix of user transitions (timestamp column indicating the time each event occurred; Fig. 7).

In response to applicant's additional arguments, see above where these limitations were previously addressed.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 5, 8, 9, 17 and 27-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alexander et al. (Alexander) (6,177,931) (of record) in view of Rosser (6,445,261) (of record).

As to claim 1, while Alexander discloses a method comprising:

selecting a plurality of demographic groups to associate viewers with (column 30, lines 17-38) including selected characteristics including historical data of actual viewers and historical actual electronic program guide data (column 29, line 14-column 30, line 44 and column 33, lines 8-15);

recording a viewer's monitor behavior with data item variables including watched channel (column 28, lines 30-52), watching start time (column 28, lines 30-52) and watching duration (column 28, lines 30-52);

associating a particular demographic group of the plurality of demographic groups with the viewer (column 30, lines 17-38);

from a server-side system, inputting historical data information regarding demographic information tagged to the viewer for the viewer's demographic group (receiving the viewer profile, including demographic data; column 33, lines 8-15, column 28, lines 11-21 and column 30, lines 17-37);

generating preferred program guide information (column 30, line 47-column 31, line 61) based on the historical data information for the viewer's demographic group and based on bias metrics column 29, line 31-column 30, line 37);

inputting the preferred program guide information for the demographic group (column 28, lines 30-52 and column 29, lines 31-55); and

at a client-side system (column 29, lines 14-21), associating the preferred program guide information with the viewer's monitor behavior (column 28, lines 30-52 and column 29, lines 31-55) and defining therefrom a knowledge base with demographic group cluster information of the viewer in terms of statistical state machine transition models (characterizing demographics and other information of the viewer based upon statistical analysis of the users viewing transition data; column 29, line 31-column 30, line 37), he fails to specifically disclose predetermined demographic groups including externally selected characteristics including historical data from a plurality of actual viewers and historical actual EPG data.

In an analogous art, Rosser discloses a system for characterizing viewers which selects a plurality of predetermined demographic groups including externally selected characteristics (column 3, line 27-column 4, line 41) including historical data from a plurality of actual so as to assign viewers to particular demographic groups (column 3, line 27-column 4, line 41) for the typical benefit of taking advantage of additional external information which can provide for more accurate rules on profiling viewers and allow advertisers and providers to easily direct their content to the appropriate groups (column 3, line 27-column 4, line 41).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander's system to include predetermined demographic groups including externally selected characteristics including historical data from a plurality of actual viewers and historical actual EPG data, as taught *in*

combination with Rosser, for the typical benefit of taking advantage of additional external information which can provide for more accurate rules on profiling viewers.

As to claim 5, Alexander and Rosser disclose providing feedback information with the viewer's monitor behavior (providing customized content based upon the viewer's history; column 30, lines 45-58) by recording a click stream (recording the viewer's input commands; column 28, lines 30-67).

As to claim 8, while Alexander discloses a non-transitory computer readable storage medium encoded with a plurality of processor executable instructions for implementing a function of:

selecting a plurality of predefined demographic groups (column 30, lines 17-38), including selected characteristics including historical data of actual viewers and historical actual electronic program guide data (column 29, line 14-column 30, line 44 and column 33, lines 8-15), the demographic groups defined by viewing monitor information including watch date, watch start time, watch duration and watch channel, EPG data and associated demographic information (column 28, line 12-column 30, line 38),

associating a particular demographic group of the plurality of demographic groups with each viewer based on viewer monitor behavior (column 30, lines 17-38);

capturing state transitions by defining monitor behavior in a plurality of statistical state machine families each representing the viewing behavior of a particular demographic group (column 28, lines 11-52 and column 29, lines 31-55);

at a client-side system (column 29, lines 14-21), combining the statistical state machine families (column 29, lines 31-55) into global statistical state machines defined in a global probability density function (combined interactions to statistically determine probable characteristics; column 29, line 31-column 30, line 37);

updating and reinforcing the global probability density function upon determining that a given probability has a higher confidence level than a previous probability density function (updating and reinforcing the determined probable characteristics; column 29, lines 21-30) based in part on bias metrics (calculated preference or 'bias' towards particular programming and topics; column 29, lines 31-67); and

outputting a global profile based on the global probability density function, wherein the global profile is suitable for determining programming content of a television server for classes of viewers (column 33, lines 8-15), he fails to specifically disclose predetermined demographic groups including externally selected characteristics including historical data from a plurality of actual viewers and historical actual EPG data.

In an analogous art, Rosser discloses a system for characterizing viewers which selects a plurality of predetermined demographic groups including externally selected characteristics (column 3, line 27-column 4, line 41) including historical data from a plurality of actual so as to assign viewers to particular demographic groups (column 3, line 27-column 4, line 41) for the typical benefit of taking advantage of additional

external information which can provide for more accurate rules on profiling viewers and allow advertisers and providers to easily direct their content to the appropriate groups (column 3, line 27-column 4, line 41).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander's system to include predetermined demographic groups including externally selected characteristics including historical data from a plurality of actual viewers and historical actual EPG data, as taught *in combination* with Rosser, for the typical benefit of taking advantage of additional external information which can provide for more accurate rules on profiling viewers.

As to claim 9, Alexander and Rosser disclose wherein the state transitions represent a television viewer's recording a viewer's monitor behavior (column 28, lines 30-52) and the statistical state machines are selected from the group consisting of watched channel (column 28, lines 30-52), watching start time (column 28, lines 30-52) and watching duration (column 28, lines 30-52).

As to claim 17, Alexander and Rosser disclose wherein the data items have a probability function with a confidence level (determining statistically likely characteristics of the viewer; column 29, line 56-column 30, line 37), the method further comprising:

updating the historical data information upon determining that a given data item has a probability function with a higher confidence level than a previous data item

Art Unit: 2424

(updating and reinforcing the determined probable characteristics; column 29, lines 21-30).

As to claim 28, Alexander and Rosser disclose wherein the associating the particular demographic group of the plurality of demographic groups with the viewer is based on the viewer's monitor behavior (column 30, lines 17-38).

As to claim 27, Alexander and Rosser disclose wherein each of the demographic groups are defined by viewing monitor information including watch date, watch start time, watch duration and watch channel and associated demographic information (column 28, line 12-column 30, line 38),

As to claim 29, Alexander and Rosser disclose wherein the viewer monitor behavior is past monitor behavior (column 29, lines 13-30).

As to claim 30, Alexander and Rosser disclose wherein each of the plurality of demographic groups is selected based on predetermined criteria selected external to the server side system and the client side system (see Alexander at column 30, lines 17-38 and Rosser at column 11, lines 20-25).

As to claim 31, while Alexander discloses a method comprising:

selecting externally generated groups defined by demographics including historical data from a plurality of actual viewers and historical actual electronic program guide data (column 30, lines 17-38 and column 29, lines 12-30);

recording a viewer's monitor behavior with data item variables including watched channel, watching start time and watching duration (column 28, lines 30-52);

associating a particular group of the externally generated groups with the current viewer based on the current viewer's monitor behavior (column 30, lines 17-38);

from a server-side system, inputting historical data information regarding demographic information tagged to the viewer for the viewer's demographic group (receiving the viewer profile, including demographic data; column 33, lines 8-15, column 28, lines 11-21 and column 30, lines 17-37);

generating preferred program guide information (column 30, line 47-column 31, line 61) based on the historical data information for the viewer's demographic group and based on bias metrics column 29, line 31-column 30, line 37);

inputting the preferred program guide information for the demographic group (column 28, lines 30-52 and column 29, lines 31-55); and

at a client-side system (column 29, lines 14-21), associating the program guide information with the viewer's monitor behavior (column 28, lines 30-52 and column 29, lines 31-55) and defining therefrom a knowledge base with demographic group cluster information of the viewer in terms of statistical state machine transition models (characterizing demographics and other information of the viewer based upon statistical analysis of the users viewing transition data; column 29, line 31-column 30, line 37), he

fails to specifically disclose externally selected demographic groups associated with external data, wherein the selected generated groups are predefined externally to the client side system and the server side system, including externally selected characteristics including historical data from a plurality of actual viewers and historical actual EPG data.

In an analogous art, Rosser discloses a system for characterizing viewers which selects a plurality of predetermined demographic groups including externally selected characteristics, wherein the selected generated groups are predefined externally to the client side system and the server side system (column 3, line 27-column 4, line 41) including historical data from a plurality of actual so as to assign viewers to particular demographic groups (column 3, line 27-column 4, line 41) for the typical benefit of taking advantage of additional external information which can provide for more accurate rules on profiling viewers and allow advertisers and providers to easily direct their content to the appropriate groups (column 3, line 27-column 4, line 41).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander's system to include externally selected demographic groups associated with external data, wherein the selected generated groups are predefined externally to the client side system and the server side system, including externally selected characteristics including historical data from a plurality of actual viewers and historical actual EPG data, as taught *in combination* with Rosser, for the typical benefit of taking advantage of additional external information which can provide for more accurate rules on profiling viewers.

5. Claims 2-4, 10-13, 16 and 22-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alexander and Rosser and further in view of Grauch et al. (Grauch) (US 2005/0235318 A1) (of record).

As to claims 2 and 24-26, while Alexander and Rosser disclose defining a knowledge base, they fail to specifically disclose calculating a parameterized transition matrix defining the viewer's viewing habits, the parameterized transition matrix containing information of program transitions initiated by the viewer, and wherein the row number and column number of the element represent the first and second states.

In an analogous art, Grauch discloses a method of determining viewer's viewing habits (paragraph 11-13) which will define the knowledge base by calculating a parameterized transition matrix defining the viewer's viewing habits (Clickstream Data matrix, 80; Figure 7 and paragraph 95), the parameterized transition matrix containing information of program transitions initiated by the viewer (Figure 7 and paragraph 95) and wherein the row number and column number of the element represent the first and second states (as each element is represented by the its corresponding "event record" and "event ID" row and column; see Fig. 7) to provide an efficient system for collecting and combining a plurality of different information sources (paragraph 11-15).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander and Rosser's system to include calculating a parameterized transition matrix defining the viewer's viewing habits, the parameterized transition matrix containing information of program transitions initiated by the viewer, and wherein the row number and column number of the element represent the first and

second states, as taught by Grauch, for the benefit of providing an efficient system for collecting and combining a plurality of different information sources.

As to claim 3, while Alexander and Rosser disclose defining a knowledge base, they fail to specifically disclose defining at least two concurrent transition matrices including a channel matrix and a genre matrix.

In an analogous art, Grauch discloses a method of determining viewer's viewing habits (paragraph 11-13) which will define the knowledge base by calculating a parameterized transition matrix defining the viewer's viewing habits (Clickstream Data matrix, 80; Figure 7 and paragraph 95), the parameterized transition matrix containing information of program transitions initiated by the viewer (Figure 7 and paragraph 95), including a channel matrix (Clickstream Data 80 Channel ID, Figure 7) and a genre matrix (Content ID Prevue Guide Data 82, Figure 7) to provide an efficient system for collecting and combining a plurality of different information sources (paragraph 11-15).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander and Rosser's system to include defining at least two concurrent transition matrices including a channel matrix and a genre matrix, as taught by Grauch, for the benefit of providing an efficient system for collecting and combining a plurality of different information sources.

As to claim 4, while Alexander and Rosser disclose defining a knowledge base, they fail to specifically disclose defining the transition matrix as a two-dimensional matrix with transitions from television channels to television channels in temporal form.

In an analogous art, Grauch discloses a method of determining viewer's viewing habits (paragraph 11-13) which will define the knowledge base by calculating a parameterized transition matrix defining the viewer's viewing habits (Clickstream Data matrix, 80; Figure 7 and paragraph 95) by defining the transition matrix as a two-dimensional matrix with transitions from television channels to television channels in temporal form (Figure 7 and paragraph 95) to provide an efficient system for collecting and combining a plurality of different information sources (paragraph 11-15).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander and Rosser's system to include defining the transition matrix as a two-dimensional matrix with transitions from television channels to television channels in temporal form, as taught by Grauch, for the benefit of providing an efficient system for collecting and combining a plurality of different information sources.

As to claim 22, Alexander, Rosser and Grauch disclose wherein the parameterized transition matrix is in a temporal form (see Grauch at Fig. 7, indicating the clickstream matrix in temporal form, mapping user actions to time).

As to claim 23, Alexander, Rosser and Grauch disclose wherein the transition matrix includes a first matrix for TV watching activities (see Grauch at Fig. 7) and a second matrix for TV channel surfing (see Grauch at paragraph 15 and Fig. 7).

As to claim 10, while Alexander and Rosser disclose defining a knowledge base, they fail to specifically disclose wherein the global profile represents demographic cluster information of the viewer in terms of a statistical state machine transition matrix.

In an analogous art, Grauch discloses a method of determining viewer's viewing habits (paragraph 11-13) which will define the knowledge base by calculating a parameterized transition matrix defining the viewer's viewing habits (Clickstream Data matrix, 80; Figure 7 and paragraph 95) representing demographic cluster information of the viewer in terms of a statistical state machine transition matrix (Figure 7 and the information collected is what the system uses to determine demographic groups, paragraph 95 and 98) to provide an efficient system for collecting and combining a plurality of different information sources (paragraph 11-15).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander and Rosser's system to include wherein the global profile represents demographic cluster information of the viewer in terms of a statistical state machine transition matrix, as taught by Grauch, for the benefit of providing an efficient system for collecting and combining a plurality of different information sources.

As to claim 11, while Alexander and Rosser disclose defining a knowledge base, they fail to specifically disclose wherein the state machines are defined in a parameterized transition matrix defining the viewer's viewing habits, the transition matrix comprising an element indicating information of a program transition initiated by the viewer.

In an analogous art, Grauch discloses a method of determining viewer's viewing habits (paragraph 11-13) which will define the knowledge base by calculating a parameterized transition matrix defining the viewer's viewing habits (Clickstream Data matrix, 80; Figure 7 and paragraph 95) wherein the state machines are defined in a parameterized transition matrix defining the viewer's viewing habits, the transition matrix comprising an element indicating information of a program transition initiated by the viewer (clickstream Data 80 Figure 7 and paragraph 95) to provide an efficient system for collecting and combining a plurality of different information sources (paragraph 11-15).

It would have been obvious to one of ordinary skill in the art at the time of invention by applicant to modify Alexander and Rosser's system to include wherein the global profile represents demographic cluster information of the viewer in terms of a statistical state machine transition matrix, as taught by Grauch, for the benefit of providing an efficient system for collecting and combining a plurality of different information sources.

As to claim 12, Alexander, Rosser and Grauch disclose wherein the transition matrix includes a first matrix for TV watching activities (see Grauch at Fig. 7) and a second matrix for TV channel surfing (see Grauch at paragraph 15 and Fig. 7).

As to claim 13, Alexander, Rosser and Grauch disclose the computer-readable medium wherein the parameterized transition matrix is a two-dimensional matrix with transitions from television channels to television channels in temporal form (see Grauch at Figure 7 and paragraph 95).

As to claim 16, Alexander, Rosser and Grauch disclose at the client-side system associating the program guide information with the viewer's monitor behavior and defining therefrom a knowledge base with demographic cluster information of the viewer (see Alexander at column 29, lines 31-67) in terms of statistical state machine transition matrices (see Grauch at Fig. 7, paragraphs 0091-0094).

6. Claims 6, 7, 14, 15 and 18-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Alexander and Rosser and further in view of Konig (6,981,040) (of record).

As to claim 6, Alexander and Rosser fail to specifically teach the method and corresponding computer readable medium which comprises parameterizing the viewer's monitor behavior with a pseudo hidden Markov process, and defining a low-level statistical state machine modeling a behavioral cluster and a top-level statistical state

machine with active behavioral clusters and an interaction between the active behavioral clusters.

Konig, in an analogous art, discloses parameterizing the viewer's monitor behavior with a double random pseudo hidden Markov process (Hidden Markov Model, column 28 lines 14-18), and defining a low-level statistical state machine modeling a behavioral cluster (any individual user model can also apply to a cluster of users, column 14 lines 61-52, user response is monitored, column 27 lines 1-11 and column 27 lines 49-55), and a top-level statistical state machine with active behavioral clusters and an interaction between the active behavioral clusters (the documents are evaluated using the user model to estimate the user interest column 29 lines 49-52).

Therefore, it would have been obvious to one of ordinary skill in the art to modify Alexander and Rosser's system to include parameterizing the viewer's monitor behavior with a pseudo hidden Markov process, and defining a low-level statistical state machine modeling a behavioral cluster and a top-level statistical state machine with active behavioral clusters and an interaction between the active behavioral clusters, as taught by Konig, for the benefit of allowing the system to make accurate models of viewer usage in order to target the most relevant material towards the desired user or cluster of users, as suggested by Konig, see Col. 3, lines 45-Col. 4, lines 16.

As to claims 7 and 18, Alexander, Rosser and Konig disclose a method and corresponding machine readable medium which comprises defining the pseudo hidden double random process (wherein a hidden Markov process is double random; see Konig

at column 28, lines 17-78 and column 3, line 45-column 4, line 16) with a plurality of dimensions and determining parallel statistical state machine transition events in at least two of three state categories including channel, genre, and title (see Alexander at column 29, lines 31-55 and column 28, lines 30-52).

As to claim 14, Alexander and Rosser fail to specifically teach the method and corresponding computer readable medium further comprising instructions for parameterizing the viewer's monitor behavior with a pseudo hidden Markov process, and defining a low-level statistical state machine modeling a behavioral cluster and a top-level statistical state machine with active behavioral clusters and an interaction between the active behavioral clusters.

Konig, in an analogous art, discloses parameterizing the viewer's monitor behavior with a double random pseudo hidden Markov process (Hidden Markov Model, column 28 lines 14-18), and defining a low-level statistical state machine modeling a behavioral cluster (any individual user model can also apply to a cluster of users, column 14 lines 61-52, user response is monitored, column 27 lines 1-11 and column 27 lines 49-55), and a top-level statistical state machine with active behavioral clusters and an interaction between the active behavioral clusters (the documents are evaluated using the user model to estimate the user interest column 29 lines 49-52).

Therefore, it would have been obvious to one of ordinary skill in the art to modify Alexander and Rosser's system to include instructions for parameterizing the viewer's monitor behavior with a pseudo hidden Markov process, and defining a low-level

statistical state machine modeling a behavioral cluster and a top-level statistical state machine with active behavioral clusters and an interaction between the active behavioral clusters, as taught by Konig, for the benefit of allowing the system to make accurate models of viewer usage in order to target the most relevant material towards the desired user or cluster of users, as suggested by Konig, see Col. 3, lines 45-Col. 4, lines 16).

As to claim 15, while Alexander and Rosser disclose a method and corresponding machine readable medium further comprising instructions for defining a plurality of dimensions and determining parallel statistical state machine transition events in at least two of three state categories including channel, genre, and title (column 29, lines 31-55 and column 28, lines 30-52), they fail to specifically disclose a double random process.

Konig, in an analogous art, discloses parameterizing the viewer's monitor behavior with a double random pseudo hidden Markov process (Hidden Markov Model, column 28 lines 14-18), and defining a low-level statistical state machine modeling a behavioral cluster (any individual user model can also apply to a cluster of users, column 14 lines 61-52, user response is monitored, column 27 lines 1-11 and column 27 lines 49-55), and a top-level statistical state machine with active behavioral clusters and an interaction between the active behavioral clusters (the documents are evaluated using the user model to estimate the user interest column 29 lines 49-52).

Therefore, it would have been obvious to one of ordinary skill in the art to modify Alexander and Rosser's system to include parameterizing the viewer's monitor behavior with a pseudo hidden Markov process, as taught by Konig, for the benefit of allowing the system to make accurate models of viewer usage in order to target the most relevant material towards the desired user or cluster of users, as suggested by Konig, see Col. 3, lines 45-Col. 4, lines 16.

As to claim 19, Alexander, Rosser and Konig disclose defining a low level statistical state machine modeling a behavioral cluster (see Alexander at column 29, lines 30-67), and a top level statistical state machine with active behavioral clusters and an interaction among the active behavioral clusters (see Alexander at column 29, lines 17-37).

As to claim 20, Alexander, Rosser and Konig disclose wherein the pseudo hidden Markov process is a double random process (wherein a hidden Markov process is by definition a double random process).

As to claim 21, Alexander, Rosser and Konig disclose defining a low level statistical state machine modeling a behavioral cluster (see Alexander at column 29, lines 30-67), and a top level statistical state machine with active behavioral clusters and an interaction among the active behavioral clusters (see Alexander at column 29, lines 17-37).

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAMES SHELEHEDA whose telephone number is (571)272-7357. The examiner can normally be reached on Monday - Friday, 9:00AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Kelley can be reached on (571) 272-7331. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/James Sheleheda/
Primary Examiner, Art Unit 2424

JS